

METAL ROOF MOUNTING SYSTEM

WATER DRAINAGE SYSTEM

Optional

ROOF ADAPTION

Color steel roof/tile roof/
Concrete roof

CE CERTIFICATE

PASS

WARRANTY

10 Yr Warranty, 25 Yr Life-span

ROOF PITCH

0~60°

MAIN STRUCTURE MATERIAL


6005-T5 / 6063-T6

ACCESSORIES MATERIAL

Aluminum and
Stainless steel

ROOF FIXING SOLUTION

self-tapping screw /
customized clamp /
double-thread screw



LIGHT WEIGHT

Under regular condition, the mounting system only weight 1 kg for every square meter, almost have no effect on roof bearing.

EASY INSTALLATION

Simplified design of the main structural components, significantly reducing the number of components and no on-site drilling or welding. Only takes 5 mins to install 1 kWp and no heavy machinery required.

ADAPTABILITY

Capable of meeting installation needs for various metal roof, fixing with angular, trapezoid or customized clamp and double-thread screw to roof structure, designed to meet various types of special needs, for instance waterproofing, loading, lighting and others.

KEY FEATURES

- # Rugged construction
- # CE certified
- # Flexible architecture
- # 25-year life-span

Portugal
3.72MW



JiangSu
5.07MW



ShanDong
3.29MW



TILE ROOF MOUNTING SYSTEM

WATER DRAINAGE SYSTEM

Optional

ROOF ADAPTION

Tile Roof

CE CERTIFICATE

PASS

WARRANTY

10 Yr Warranty, 25 Yr Life-span

ROOF PITCH

0~60°

MAIN STRUCTURE MATERIAL


6005-T5 / 6063-T6

ACCESSORIES MATERIAL

Aluminum and
Stainless steel

ROOF FIXING SOLUTION

customized clamp or hook



LIGHT WEIGHT

Under regular condition, the mounting system only weight 1 kg for every square meter, almost have no effect on roof bearing.

EASY INSTALLATION

Simplified design of the main structural components, significantly reducing the number of components and no on-site drilling or welding. Only takes 5 mins to install 1 kWp and no heavy machinery required.

ADAPTABILITY

Capable of meeting installation needs for various tile roof, fixing with customized hook to roof structure, designed to meet various types of special needs, for instance waterproofing, loading, lighting and others.

KEY FEATURES

- # Rugged construction
- # CE certified
- # Flexible architecture
- # 25-year life-span

Spain
0.91MW



Malaysia
1.27MW



ShaoXing
0.66MW



CONCRETE ROOF MOUNTING SYSTEM

WATER DRAINAGE SYSTEM

Optional

ROOF ADAPTION

Concrete Roof

CE CERTIFICATE

PASS

WARRANTY

10 Yr Warranty, 25 Yr Life-span

ROOF PITCH

Flat Roof

MAIN STRUCTURE MATERIAL


HDG / ZAM / AL

ACCESSORIES MATERIAL

Aluminum and
Stainless steel

ROOF FIXING SOLUTION

Self-tapping screw with
Waterproof solution /
Customized clamp or hook



LIGHT WEIGHT

Under regular condition, the mounting system only weight 3.5 kg for every square meter, almost have no effect on roof bearing.

EASY INSTALLATION

Simplified design of the main structural components, significantly reducing the number of components and no on-site drilling or welding. Only takes 8 mins to install 1 kWp and no heavy-machinery required. Also with our well-experienced packing and logistics team, we've formed a systematic packing solution and mark instruction, in order to improve site stock in and sorting efficiency greatly.

ADAPTABILITY

A variety of foundation types are available, such as ballast systems, chemical anchors, and pre-embedded screws, to suit a variety of on-site construction conditions, designed to meet various types of special needs, for instance waterproofing, loading, lighting and others.

KEY FEATURES

- # Rugged construction
- # CE certified
- # Flexible architecture
- # 25-year life-span

Vietnam
3MW



Singapore
1.55MW



JiangXi
5.28MW

